	Application No.	Applicant(s)
Notice of Allowability	10/560,111	HANSEN, BERND
	Examiner	Art Unit
	Dimple N. Bodawala	1791
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment after non-final rejection, filed on 10/12/2007.		
2. The allowed claim(s) is/are <u>9-21</u> .		
 3.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		•
•		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
2 M Information Displayure Statements (DTO/SB/09)	Paper No./Mail Dat 7. 🛛 Examiner's Amendr	te
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 10/12/2007 	7. 🖂 Examiner's Amendr	neno Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	<u>_</u>	ent of Reasons for Allowance
	9.	
		•
		•

Application/Control Number: 10/560,111

Art Unit: 1791

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mark Bicks on November 5, 2007.

The application has been amended as follows:

In claim 16, please delete "a stamping unit" on lines 7 and 18, and in place insert - a stamping plate - -.

Allowable Subject Matter

- 2. Claims 9-21 are allowed.
- 3. Claims 1-8 are cancelled.
- 4. The following is an examiner's statement of reasons for allowance:
- 5. The prior art of record fail to teach or suggest a stamping device as cited in claims of the instant application.
- 6. The closest prior art, Coulzzi (U S Patent No. 5,051,083) fails to teach or suggest a stamping device with support stamp having a support-housing

Application/Control Number: 10/560,111

Art Unit: 1791

element and a support piston rod moveable in a second direction along said longitudinal axis relative to the frame as defined in claims 9 and 16.

- 7. It further fails to teach or suggest a stamping plate being movably mounted on said guides for guiding movement along said longitudinal axis relative to the guides as defined in claims 9 and 16.
- 8. It further fails to teach or suggest a support plate coupled to the support piston rod and being movably mounted on said guides for guided movement along said longitudinal axis relative to the guides as defined in claims 9 and 16.
- 9. It further fails to teach or suggest a guide plate is fixedly connected to said support frame by a column suspension and is mounted between said stamping plate and said support plate as defined claim 16.
- 10. Nor does there appear to be any reason in this reference, or combined with any of the other prior art of record, to modify the devices to result in such a combination of features.
- 11. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/560,111

Art Unit: 1791

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dimple N. Bodawala whose telephone number is (571) 272-6455. The examiner can normally be reached on Monday - Friday at 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Yogendra N. Gupta can be reached on (571) 272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 1791

DNB

PUT (NOTENDER NOTED)

PUT (NOTENDER)

TECHNOLOGY CENTER 1700